


# Laser Manufactured Adhesives

Mark Cuson
SURI Poster Session • August 29, 2014





### Laser Overview

The BDML's new UV laser cutter has been central to my work this summer. The laser emits short pulses of energy (30-120kHz) to ablate material, and can cut through most materials <500µm thick. With a kerf width around 50µm and the ability to perform variable depth cuts, this tool is capable of creating remarkable designs.



Microscope image of fill pattern on metallized Mylar (polyester film)






Microscope image of laser-etched copper-coated Kapton

# Quadrotor Perching on Rough Surfaces

### The Crazyflie


At just 19 grams and 9 cm from motor to motor, the Crazyflie quadrotor is a great platform to attempt perching on rough vertical surfaces. Fully open source software/firmware allows us to program custom flight maneuvers. I used the UV laser to cut small, lightweight perching grippers out of Kapton film, with spines (fishhooks) attached on the ends.






# Experimental Springs Inspired by the Kapton perchin

Inspired by the Kapton perching systems I made for the Crazyflie, I tried out some novel laser-cut spring designs.



(Top) Variable lateral strength in the plane of the spring; (Bottom) Variable longitudinal strength






Pictured above is a self-supported spring with integrated spines, cut from a single piece of Kapton film. This design is noteworthy as it demonstrates the ability to achieve three distinct features (rigid body, spring, and spines) with one material and one cut.


# Electrode Patterning for Adhesion and Sensing


### Electrostatic Adhesion


A few years ago, the BDML developed a gecko-inspired directional adhesive made famous by the StickyBot. New research has shown that the gecko adhesive technology can be enhanced with electrostatic adhesion. I was able to achieve adhesion using two composite materials with custom designed and manufactured electrodes.



(Above) Electrode design informed by existing research on optimizing geometry; (Right)
Chemically etching copper-coated Kapton using ferric chloride








The copper-coated Kapton (upper left) electrode is manufactured as follows:

- apply paint to mask the copper
- selectively remove the paint with the laser
- chemically etch the exposed copper
- remove the remaining paint with acetone The metallized Mylar electrode (upper right) is directly patterned with the laser.

### Capacitive Sensing

Capacitive sensing works when an object causes the sensor's equilibrium capacitance to change. I recreated this effect by etching a fine electrode pattern on metallized Mylar film. Preliminary testing showed slight changes in capacitance, but further analysis and experimentation is necessary.



### Future Work

#### Electrostatic Adhesion

- refine and streamline the manufacturing process
- integrate the electrodes into the silicone-casted gecko adhesive.

### Capacitive Sensing

• Experiment with varied electrode designs in controlled settings

#### Quadrotor Perching

- refine the design for consistent perching with broad initial conditions
- integrate with sensing to detect successful and failed perches
- capture a video demonstrating a robust quadrotor perching system

#### Experimental Springs

• continue to experiment with the laser and push the limits of what designs are possible with this powerful tool

# Acknowledgements

Thank you to everyone in the BDML who helped me learn so much this summer! Special thanks to Mark Cutkosky, Morgan Pope, Dave Christensen, Elliot Hawkes, Arul Suresh, Matt Estrada, Hao Jiang, and Bobby Edwards.